Previous references

Rd 418-G 1911-2

2d 350-11 911

Later references

1913-14

(Annual)

File No 211-11

Serial Nos 1 and 3-11

GENERAL AND REVENUE SECRETARIAT

Serial Nos 1 and 3-11

Part B for October 1913

SUBJECT

Sanctions a revised estimate for Rs 9807- for constructing a model Sanitary School by the side of the Vellore Road opposite the Lakshmipuram Entrance, Ulsoor Camp

1 From Chairman, Ulsoor Cantt Bd No 1939 dt 19.12.11
Submits plans and estimates for Constructing Sanitary School building at Ulsoor

3 To the Board Office No 9408 dt 5.6.12
Forwards for remarks and return the estimate for the necessary, copies of the rules of the Sanitary Committee and the Chief Engr furnishing their opinion on the subject and returning the plan and estimate

G R S 58

GPB—4 000—4-7 11

4. From the Chairman, Mysore in T.B. No 310 dt 2.9.12
Resubmit the typical plan and estimate together with a copy of the resolution of the Trust Bd that 100 sft of space and 10 sq ft of floor of space for each student will be ample.

5. To the same officer No 3074 dt 15.6.12
Enquires whether the building is intended for a School maintained by the Trust Bd or to be handed over to the Rural Council, which is the School to be accommodated in the building and where the proposed building is to be located:

6 From the same Officer No 367 dt 7.1.13
States that the building is intended to be handed over to the Rural Council, that the school to be accommodated is at Sri Krishnaraja Balika Pathasala and that the site selected for the proposed building is by the side of the Sewage Road opposite to the Lakshmipur Extension.

7. To the President, Mysore city Rl Council No 5865 dt 5.2.13
In forwarding a copy of 6, enquires whether the Rural Council will bear half its cost in view of the utility of the proposed institution to the citizens of Mysore.

8 From the same Officer No 1355 dt 31.3.13
Submits a copy of the resolution of the Rural Council agreeing to bear half the cost of the proposed building.

9 To the Chairman Mysore city T.B. No 3279 dt 17.4.13
observes that the estimate no provision is made for a compound wall or for latrines for the use of the School girls and requests that the estimate

GRS 11] 1910-11

GENERAL AND REVENUE SECRETARIAT

NOTES

Ind 211-1911
File No

FILE HEADING

Sanitary School houses

From Chairman and Members of the Improvement Trust Board

No 193 Dated 19/12/11 Received 21/12/11

Diary No 3493 Enclos 6 (Plans & Estimates) Spare Copies Serial No

BRIEF ABSTRACT OF LETTER

Submits plans and estimates for constructing a Sanitary School buildings.

NOTES AND ORDERS

Dated with References the Board has sanctioned alternative Estimates. Designs No I costing Rs 5,517 & 6649. Respectively.

9/1/12

(File transferred to Municipal Section)

NOTES—First Sheet

GPB—30 000—12-3-11

G R S 12]
General and Revenue
Secretariat

3243

File No 211 of 1914

Serial No

2 Submitted. The file may be sent to the Secy Com^r and D. S. of Education & O for favour of opinion on the two designs prepared by the Exc Engineer of the Mysore City Improvt. Division.

19.1.12 3 yrs 1st Cr. 22-1-12

25.1.12

& O 2076 & Forwarded to the S of Education for favour of opinion

27.1.12

By order
K-Nayakarao
25-1-12 for Secy

NOTE—Contn sheet

GPE—50,00 - 12-8-10

G R S 12]
General and Revenue
Secretariat

File No 211 of 19 11

Serial No

No 10 5 The design seems generally suitable, but the following suggestions may be made -

(1) The width of the Hall may be 18 ft.

(2) The windows have to be of larger size, if possible going nearly up to the roof and upper part being ventilators and as far as possible either to the left or right of the class and never in front of the boys as they sit.

(3) Good sized ventilators below the eaves and opposite the windows.

(4) Air-holes in the roof that could be easily cleaned for the necessary perflation.

For Inspector General of Education.

Bangalore,

12th Feb 1912.

Nors—Contn sheet

GPB—50,00:—12-8-10

G R S. 12]
General and Revenue Secretariat.

File No 216 of 1911

Serial No

I agree with the Sanitary Engineer's "note" especially as it is based upon figures and calculations arrived at by local authorities on School Hygiene by Doctors Charles Porter, Robert A Lyster, W. R. Stoerner and others

Dr C. E Page in his "Handbook on Heating Schools" suggests 400 cubic feet for a child as a minimum for elementary schools & 800 cubic feet for Public Schools.

Between the 80 cubic feet of space per student laid down in "Hygiene Educational Rules Part I" and 400 cubic feet there is a vast difference - Two hundred cubic feet per student therefore may well be taken as a practical working minimum

I fully agree with the Sanitary Engineer in thinking that "In the construction of a model School building the best material should be used That the cheaper estimate may therefore be discounted"

20th May 1912

Comptroller & Auditor General

Note.—Contn sheet

GPB—50 6/10—12-8-10

Dl 24 - 4

6

Note dated the 28th March 1912 by the Sanitary Engineer, Sanitary Division.

The Mysore Educational Rules Part I requires that 10 Sqft. & 80 cft. of space shall be provided for each pupil.

This allowance for a model school may be raised to 15 Sqft. and 200 cft. of space for each pupil for the following reasons

We may assume that .02 per cent of carbon dioxide can be added to fresh air without causing it to be injurious to health.

Also that the average child at school produces .4 cft. of carbon dioxide per hour The amount of fresh air required per head per hour is as follows -

.02 of carbon dioxide may be added to 100 cft. of fresh air ° .04 to 200 cft. ,.4 to 2000 cft. This shows that 2000cft. of fresh air should be supplied per hour for each scholar. If the cubic space allowed per head is 200 cft. this amounts to changing the air of the room 10 times in the hour.

Apart from special appliances for ventilation the air in a room usually changes once an hour through crevices of doors and windows leaving the problem of changing the air at 9 times in the hour.

In order to provide the necessary 2000 cft. of fresh air per hour an opening of 16 square inches must be provided, assuming the air to enter the room at an average velocity of 5 feet per second. An outlet of the same or

Mc 24-4 7

or larger size is necessary.

In a class room for 42 pupils the inlets should therefore have a minimum total area of 4 and 2/3 sqft. and the outlets the same or more.

Outlets for natural ventilation are usually provided close to the ceiling and the inlets at about 5 feet above the floor. The inlets should be so arranged as to direct the current of air upwards.

The windows should be carried higher. The upper part of the window can be made to work on a hinge so that the top moves into the room. Triangular pieces of glass or wood should be placed at the sides to prevent down draft.

In the construction of a model building the best material should be used The cheaper estimate may therefore be discounted.

The material proposed to be used in the more expensive estimate should be modified as under -

(a) Plaster inside should be of a durable, smooth, nonporous variety. Shell lime plaster may be used in place of ordinary chunam plaster

(b) Ordinary white washing is decidedly bad for the inside. The plaster should be coloured with some light greenish grey wash with a dull surface.

It is important to choose such a colour as will not tax the eye.

All doors in the class rooms should open outwards

The plans may be modified to suit these requirements

ML 24-4

3

3.

Note dated the 3rd May 1912 by the Chief Engineer in Mysore.

I agree generally with the Sanitary Engineer's remarks But if his recommendation to raise the floor space to 15 square feet and the cubic space to 200 cubic feet per pupil be adopted, the dimensions of the school will become very large and the cost will increase proportionately.

It is not known how much money could be made available for the school house. If the Trust Board can afford to spend well, the further refinements suggested by the Sanitary Engineer may be adopted. As it is, the design looks decent enough. If alternative designs are required, they will be furnished by this Department.

Note dated the 7th May 1912 from the Revenue Commissioner in Mysore.

I agree with the above.

" Copies "

J. J. Campbell

Sanitary Commissioner.

P.H.

G R S. 12]
General and Revenue
Secretariat

3293/56

9

nb File No 211 of 1911

Serial No

8 File resubmitted with the Sanitary Commissioner's 2nd note for orders. The Sanr Comr has also forwarded copies of notes on the subject by the Sanr Engineer and the Chief Engineer

MA 50 Hm 28 5 12 9 The opinions of the Sanitary Comr and the Chief Engineer may be communicated to the Chairman for remarks and for a revision of the estimate, if necessary. Please put up draft

31-5-12 Hue

10 Draft letter submitted.

MA 50 Hm 1 6 12 2nd Cr) 1.6.12. Hue

11 Sr Offg appd by 2nd Cr 2 6 12

12 Hue

2/3

4/6

Hue 5 6

3 13 Letter No 9408 Dt 8th June 1912 to the Chairman, Mysore City Improvt Trust Board. Forwards for remarks and a revision of the estimate, if necessary, Copies of the notes by the Sanr Comr & Chief Engineer

NOTE—Contn sheet

GPB—50 000—12 8 10

G R S 12]

General and Revenue Secretariat

Mc File No. 211 of 191/

Serial No

furnishing their opinion in the matter and returning the plans & estimate

4 M Letter no 320 dated the 2nd Sept. 912 from the Chairman, Mysore City Municipal Council Board

Resubmitting the original plan and estimate for sanction, together with a copy of the Board's Resolution that 100 sft space and 10 sq. feet of floor space for each student will be ample.

15 Submitted for orders.

Construction of a model school building does not seem to fall within the provisions of section 15 of the City of Mysore Municipal Regn., unless there is Rs 50

12.9.12

16 Please note how briefly how the scheme originated whether the building is intended for a school to be maintained by the Trust Board or to be handed over to the Municipal Council & whether there are any proposals of locating any particular school in the building to be erected

17.9.12

NOTE—Contn sheet.

GPR—P0 009—20 1 12

1463

G R S 12]

General and Revenue Secretariat

M File No 211 of 1911

Serial No

N

17 The question arose in connection with a subject (No 275) brought forward at the Representative Assembly of 1910 Mr Venkatakrishnaraya of the Mysore Municipality represented that arrangements might be made to bring into existence Sanitary school houses with play ground as well as accommodation for workshops and that as regards Mysore at least one model building for each Mohalla might be provided Govt recorded the representation and commended the same to the Mysore City Improvement Trust Board the present reference is the outcome of that commendation. No reference is made either in the reply of Govt or in the Resolution of the Board as to whether the proposed building is intended for a school to be maintained by the Trust Board or to be handed over to the Municipality. It is probably the latter inasmuch as the Trust Board has no permanent existence like the Municipal Council

Put 50
7 10 12 18

Submitted for orders

SPL
7 10 12

Secy)

NOTE—Contn sheet

G R. S 12]
General and Revenue
Secretariat

File No 241 of 19 4

Serial No 4/B 11

The info furnished seems to be meagre which is the school which is to be housed accommodated in the proposed sanitary building? When is it proposed to locate it

29/9/10
9.10.10

20. Draft calling for the required information from the Chairman of the Taluk Bd is submitted

5/10
11/10/10
21

Issue

5/12/1012

22 Docket No. 3074 dt 15-10-9/12 to the Chairman, Nilgiris Dt Development Taluk Board

Enquires whether the building is intended for a school to be maintained by the Taluk Board or to be handed over to the Municipal Council, which is the school which is to be accommodated in the building and where the proposed building is to be located

NOTE—Contn sheet 1

GPB—50,00 - 12-6-10

3832 B

G R S 12]

General and Revenue Secretariat

2L File No. 211 of 1911

Serial No

6 2b Letter No 367 dated the 7th Jan 1913 from the Chairman, Mysore City Impt. Trust Board.

States, in reply, that the buildings is intended to be handed over to the Munic. Council, that the School to be accommodated there is the Sri Krishnarajya Balika Pathasala and that the site selected for the proposed building is by the side of the Viceroy Road opposite to the Lakshmipuram Extension.

24 Submitted for orders

Addl 50

11-1-(35)(15) Called for in para 19

25. Sec 4) SDL 11/1/13

25 The construction of a model school building as proposed is a commendable measure & may be sanctioned. It is however, a question whether the cost of the work can appropriately be charged to the Town Board funds and whether the Municipality or the Education Dept should not bear the cost of the

Note—Contd. sheet.

3632

, R S 12]

General and Revenue Secretariat

File No. 24 of 1911

Serial No

brewing

2nd Convocation

23
(y) 167
(1911)

26 Yes. It was decided in connection with the cost of this building that in any case there be a separate charge upon the T.B funds. It is quite right that the principle should be that the T B funds should bear such charges as are specified in the Rules. But it would have been better if this had been done at the time the Rules were framed. But as it is, one hopes a safeguard in the case will be in the mind of the Board members that Govt. may open all questions in the scheme. And the proper thing to do in respect. They want one return for each of the 208 constituencies of the City. If there must be an account in each of the constituencies for boys also, the auditor-in-chief to be in charge will be saving expenses. The report to be made from a recognised. It is the local and Convocation that will have to bear such costs. However, as a special case, a grant of half the estimated cost may be

NOTE—Contn sheet

GPE—65,000—1,-C-12.

R S 12]

3832
563)-11

16

General and Revenue Secretariat.

Rb File No. 24 of 191(

Serial No

recommend provided that cess shall be levied on the basis of annual values. I am afraid a regular cess entire charge will may be ascertained.

Ccey
18/1/13

B W
Please put up draft

W 18/1

27 Secy 20/1/13

28 Draft letter to the Chairman submitted

Rbs 50
22/1/13

29 Please put up clean draft

W 23/1/13

Secy 30 23/1/13 Clean draft submitted

Rbs 50
23.1.13

W 24/1/13

Dy Secy) 31 According to the 2nd Councillors views & orders the enquiry has to be made of the municipal Council No communication to the J Board need go at this stage Please put up a revised draft. Dueee 27/1/13

32

Note—Contn sheet.

G R. S 12]

603 3832 6631 11-12

General and Revenue Secretariat | dc File No. 211 of 1911

Serial No	
	32 Draft to Munic. President dated 29/1/13 (Dy Secy)
	33 Issue the revised draft YY 31/1/13 Dues YY 31/1
7	34 Letter No. S-865 Dt 5 2 1913 to the President, Mysore City Munic Council forwards a copy of Serial 6 and enquires whether the Munic Council will bear half its Cost in view of the utility of the proposed institution to the Citizens of Mysore -
8	35 Letter No 135 dated 31 8 13 from the President, Mysore city Munic Council Submits a copy of the resolution of the Munic Council agreeing to bear half the cost of the proposed building
	36 Submitted for orders with reference to the inquiry ordered in para 26 supra 3/9/13
	37 A draft Sanction may now be put up (Dy Secy) YY 8/4/13 Dues 8/4
	38 Draft order submitted 9.4 (Dy Secy) YY 10/4/13

NOTE—Contn sheet

GPS—50 000—17-8-12

R. S 12]

General and Revenue Secretariat

MC File No. 211 of 1911

Serial No.

Draft Sanctioning the proposals of the Trust Board and Mysore City Municipality in put up, with reference to para 26 containing the observations of the 2nd Councillor (2nd Councillor & Dewan)

Dated 9th April 1914

HG

Kindly see note-paper to municipal engineer enquiring what is meant by any provision made in the estimate for a compound wall & latrines for use of girls schools & why necessary & whether approval of Govt must be called for before giving sanction -

HHS 11/4 draft Dated

HG 11/4

HG

41 Draft submitted

HHS 50 12 4 13

42 Issue HG 14/4/13

43 Docket No 8279 Dt 17 4 1913 to the Chairman, Mysore City Municipality & Bd

Observes that in the Estimate no provision is made for a Compound wall or for latrines for the use of the School girls and requests that the estimate

Note—Contn sheet

GPB—85 000—17-8-12.

712

R S 12]

General and Revenue Secretariat | 2l File No. 211 of 1911

Serial No	
	may be resubmitted with necessary provisions for the said works inserted therein, together with a site plan indicating the exact location of the school buildings
10	44 Letter No. 7 dated the 23rd July 1913 from the Chairman, Mysore City Imprt: Trust Bd.
	Submits revised estimate amounting to Rs 98000/- together with a site plan referred to
	45 Submitted for orders as to whether the revised estimate may be sanctioned the cost being met from the Imprt: and Trust Bd. funds equally as a special case, and the site proposed for the school buildings approved
	JHA 30 46 with reference to para 40 Supra 29/7/13 (SS Sec'y) Hoy 29/7
	(2nd Councillor) Draft d/d 30th Inst. Draftsman Murray & Co's Agy 3877
	47 The estimate may be sanctioned as site for purposes proposed 3/7
	48 After previous draft is returned to file Draft 29/7/13 The position
	49 Draft submitted. JHA 50 1.8.13

NOTE—Contn sheet

GIPS—65,000—6-

R S 12]

General and Revenue Secretariat

File No. 24 of 1911

Serial No

50 The file has to be submitted to the Secretary above before issue of draft (vide para 39)

51 With reference to para 47

52 approved

53 I do not think that the cost of a model Sanitary School is a legitimate charge on the Trust Board funds. I shall be glad to have the opinion of the Financial Secretary on this point.

4423 6 8 13

H mus 293-13

To Fin. II

Subd

SW 25/8 54 The Trustees cannot legitimately be asked to contribute towards the cost of the construction the School nor the proposed Model School and asylum which are the Government's own schemes. If on account of financial stress they are unable to bear the whole

NOTE—Contin sheet.

GPB—65,000—17-6-12.

R S 12]

General and Revenue Secretariat

File No. of 191

Serial No

Cont, the other half will have to be
given as a binding grant from out
the sanctioned grants under "Education

Secy)

28/8/13

Dir IV)

55 Submitted with reference to para 53
supra

Secy 30
29-8-13 Secy)

A revised draft in accordance with the opinion of the Fin Secy
may be suggested, though there is some scope for the
given other view already on record

29/8

57 Draft submitted

Secy 30
5 9 13 Secy)

5 A revised draft in accordance with the Fin Opinion is put up

up Please vide para 53

2nd Councillor
& Secretary)

Draft approved by the 2nd Councillor

Draft approved by the Governor

I kept the file with me for studying
the other aspect already noted
I could not find time thereon the delay
Secy
30/9

2 10 13

NOTE—Contn sheet.

23 10 13

GIP—65 GAC—1-7-12.

R

venue | dc File No. 24 of 1911

Serial No	
11	For order see 5011-5 & 31/10/13 to the Chairman Mysore City Improvement Trust Board, President, Mysore City Municipal Council, Dy Comr, Sanitary Inspector, & Comptroller Sanctions the revised estimate amounting to Rs 9800/ & specifies the sources from which the cost will be met, Approves of the site selected & observes that the school to be accommodated in the building when completed as the Sri Krishnaraja Balika Patasala memo no 5016 & 31/10/13 Forwards Copy of the above to Mr. Venkatakrishnaiya, Asst member

Note—Contn. sheet.

23

G R S 13]

Routine Notes

[To be used only for notes, requisitions, etc , not intended for permanent record]

for prompt execution of certain kinds of work (though forming part of the organisation functions of Municipal Council) it is presumed that, in such cases, the functions of the two bodies in one & the same area should not overlap

(b) The functions of the Board are limited to the improvement of insanitary areas and Overcrowded Districts. In the statement of objects & reasons to the City Improvement Bill, the general lines on which improvements could be designed have been sketched & from these the main object of the Bill seems to be not to beautify the City but to deal with insanitary areas and unhealth

Skeleton 03 - 0

N B —Should routine notes be written on small slips the notes must be copied or slips pasted on this form

(I B—20 000—14 / 14

23

G R S 13]

Routine Notes

[To be used only for notes, requisitions, etc , not intended for permanent record]

localities & to provide proper quarters for persons (c) in Response City Sanct. T. & P. Regs is based on the Bombay Act VII of 1898 Amb, see 15 a phrase Cl (2) (d) does not found in that Act. Neither the Objects & Reasons of the City of Bombay might help us more than this seem to contemplate the construction of San. School buildings etc.

(d) In view of these circumstances, it is submitted that the work under reference is not an urgent scheme under sec 15 of the Regs, unless it is considered "other public requirement or convenience" falling under Cl. (2) (d) of that section in this connection it

N B —Should routine notes be written on small slips the notes must be copied or slips pasted on this form

(1)—30,000—14 / 13

G R S 13]

Routine Notes

[To be used only for notes, requisitions, etc , not intended for permanent record]





N B —Should routine notes be written on small slips the notes must be copied, or slips pasted on this form.

GPB—20 000—14-7 18

190

From

The CHAIRMAN of the Board of
Trustees for the Improvement
of the City of Mysore

To

The SECRETARY to the Govt. of
His Highness the Maharája of
Mysore, Gen and Rev Depts.

Dated } 19th December 1911
Despatched }
Received
General No. / 93
Enclosures 6

SUBJECT

Submitting for orders plans and estimates amounting to Rs.6,649 for constructing a sanitary school building.

№193
19 12 11

Enclosures
1 Copy of Board's Resolution
1 Report
1 Detailed Estimates
2 Abstract Estimates
1 Plan.

6

DIARY No 3293



Mysore City Improvement Trust Board,
Chairman's Office,
Dated, Mysore, 19th December 1911.

From

W. Pantharaj Urs, Esq , B.A ,

Chairman of the Board of Trustees,

Mysore City Improvements.

To

C.S.Palasundaram Iyer, Esq , B A.,

Secy to the Govt of His Highness the Maharaja

of Mysore, Gen and Rev. Departments

Sir

N

With reference to your No.3310/Edn.418-10-2 dated the 12th May 1911 communicating the reply of Government to -- the Representative Assembly subject No.275 of 1910 regarding Sanitary School buildings, I have the honour to enclose -- herein for orders, an extract from the proceedings of the -- Board of Trustees in their meeting of the 29th Ultimo, ---- together with plans and estimates amounting to Rs.6,649 to construct a Sanitary School building of design No.I with -- better materials

I have the honour to be,

Sir,

Your most obedient servant,

for Chairman.

MYSORE CITY IMPROVEMENT TRUST BOARD.

Proceedings Of An Ordinary Meeting Of The Board Of Trustees For The Improvement Of The City Of Mysore, Held At The Chairman's Office, On Wednesday The 29th November 1911.

Present

M.Kantharaj Urs, Esq., B.A., Chairman.

Trustees.

1. Mr.M.G.Krishnasami Rao, B.A., Vice-President.
2. " J.V.Parve, D.P.W., etc., Acting Health Officer.
3. " Mahomed Jaffer Sahib.
4. " M.Venkatakrishnaiyya.
5. " M.Ananthrajaiyya.

Absent

1 Mr.R.W.Campbell, I.C.S.
2. The Deputy Sanitary Commissioner.
3. Mr.M.C.Ramaiengar, B.A.

X X X

V Letter No.825 dated the 4th November 1911 from the Executive Engineer, City Improvement Division, submitting two designs for constructing model sanitary school buildings with alternative estimates.

Resolved that design No.I with better materials ---- estimated at Rs.6,647/- be approved and submitted to Government for sanction The locality where to build the first model school will be selected on receipt of Government sanction

X X X

(Sd) M Kantharaj Urs
Chairman

"COPY"

M.K.Krishnasami Rao
Vice Chairman

R S 26] 5/6 [illegible] × 3

File No 211-4

Serial No 3

Diary No. of letter replied to 3293

No 9408
ml 211-1-

To

The Chairman, Mysore City Impt. Trust Board

General and Revenue Secretariat
(ml.)
D., the 1. 6. 1912

Date of issue 8 6 12

Signed by [illegible]

Sir,

With reference to your letter No 193 dated the 19th Decr 1911 submitting plan and estimate for the construction of a sanitary school building in the City, together with a copy of the Board's Resolution approving of the design No I estimated to Cost Rs 6649/-, I am

over

SUBJECT

[illegible]

decided to forward herewith for remarks and favourable of the estimate if necessary Copies of the notes taken by the Chief Engineer and the Secretary containing their opinion on the matter

(A copy of the Executive Engineers notes should be sent)

2) The plan of the estimate together with the Exl Engineers Report are returned herewith

I have &c

2/16

for Secty

List of enclosures

Copied by

Examined by

GPB—25,000—8-8-11

26-11

W 47 2

1912

From

The CHAIRMAN of the Board of
Trustees for the Improvement
of the City of Mysore

To

The SECRETARY to the Govt of
His Highness the Maharaja of
Mysore, Gen and Rev Depts

Dated 21-8
Despatched 31-8 } Septe. -Gen 1912
Received
General No 340
Enclosures 5

SUBJECT

Re the construction of a model sanitary school building in the -- Mysore City.

GBPM—sm—11-6-13

№ 310
3 9 12

5

Enclosures.

(1) Copy of Board's Resolution dated 26th June 1912.
(2) Detailed Estimate (Design No.I)
(3) Abstract Estimates (one for Rs.5517 and the other for Rs.6649).
(4) Plan (Design No.I)
(5) Report.

MYSORE CITY IMPROVEMENT TRUST BOARD
CHAIRMAN'S OFFICE,

Dated, Mysore, 2nd Septr. *1912*

FROM

K.Krishna Iyer, Esq.,

1463

Chairman of the Board of Trustees,
Mysore City Improvements

12 13

Rec'd

24/-11

K.R.Srinivasaiengar, Esq., M.A.,

4

Secretary to the Govt of H H the Maharaja
of Mysore, Gen and Rev Departments

SIR,

Referring to your letter No.9408/M1.211-11-3 dated the 8th June 1912, returning with certain observations of the Sanitary Commissioner and the Chief Engineer, the plans and estimates for the construction of a sanitary school building in the City, I have the honour to resubmit the same for ---- favour of sanction, and to state that according to 10 square feet of area per student, the rooms could accommodate 216 and taking 12 feet height as the maximum for calculating air --- space, it works out to 120 cubic feet of air space per student and when the number of students exceeds 216, a room or two can always be added on.

2 A copy of the Trust Board's resolution on the subject is enclosed for ready reference.

I have the honour to be,

Sir,

Your most obedient servant,

M.K.Krishnaswamy

For Chairman.

E Con b and 211-11/1914

MYSORE CITY IMPROVEMENT TRUST BOARD.

Proceedings of an Ordinary Meeting of the Board of Trustees held for the Improvement of the City of Mysore held At the Chairman's Office, on Saturday the 26th June 1912.

Present

K.Krishna Iyer, Esq., Chairman.

Trustees

1. Mr.K.S.Krishnaswami Esq. F.A.S. Vice-President.
2. " J.V.Narve, B.A.B., etc., Assistant Health Officer.
3. " M.C.Rangaiengar, B.A.
4. " V.Venkatakrishnaiyya.

Absent

1. Mr.I.W.Campbell, I.C.S.
2. The Deputy Sanitary Commissioner.
3. Mr.Maheed Jaffer Sahib.
4. " V.Anantharamaiyya.

X X X

III Letter No.9408/M1.211-11-3 dated the 8th June 1912 from the Secretary to Government, General and Revenue Departments, returning the estimate re the construction of a sanitary school building, for remarks and for a revision of the estimate if -- necessary.

The Board is of opinion that 100 cubic feet space and 10 square feet of floor space for each student, will be ample.

The present plan and estimates to stand.

X X X

(Sd) K.Krishna Iyer
Chairman.

"COPY"

For Chairman

+ 7
8WS
123
12

G.R S 26]

File No 211-11
Serial No. 5441

Diary No. of letter replied to 4463

No 3074
encl 211-11-
9/5/1012

General and Revenue Secretariat
(MB)
Bg, the 12.10 1912

To

The Chairman, Mysore City Sanitary Board

Date of issue 15.10.12

Signed by MR SOR

His letter no 340 dated the 2d Sept. 1912 re construction of a sanitary school building in the City.

Has the honour to request the Chairman to be so good as to state which the school which is the recommended in the proposed sanitary

order

the buildings intended for a school to maintained by the Trust or to be handed over to the Mil Council and is

SUBJECT

building and where in the
building proposed to be located

by order

for Secretary

List of enclosures,

Copied by

Examined by

GPB—10,000—23-4-11.



1913

From

The CHAIRMAN of the Board of
Trustees for the Improvement
of the City of Mysore

To

The SECRETARY to the Govt of
His Highness the Maharaja of
Mysore, Gen and Rev Depts

Dated } 7th January 1913
Despatched }

Received

General No 367

Enclosures 2

SUBJECT

Re the construction of a --
sanitary school building in the --
Mysore City

GBPM—200—11-6-1912.

DIARY NO. 3082

10/1-1913

MYSORE CITY IMPROVEMENT TRUST BOARD
CHAIRMAN'S OFFICE,
Dated, Mysore, 7th January 1913.

FROM

K.Chandy, Esq., B.A.,

Chairman of the Board of Trustees,
Mysore City Improvements

To

K.R.Srinivasaiengar, Esq., M.A.,

Secretary to the Govt of H H the Maharaja
of Mysore, Gen and Rev Departments

SIR,

With reference to your docket No.3074/T1.211-11-5 dated the 15th October 1912 calling for certain information re the construction of a sanitary school building in the --- Mysore City, I have the honour to state that the building is intended to be handed over to the Municipal Council, and --- that as recommended by the Schools' Committee of the Mysore City Municipal Council, the school to be accommodated in the proposed building is the Sri Krishnaraja Balika Patasala. The site selected is by the side of the Viceroy Road opposite to the Lakshmipuram Extension.

2. Copy of an extract from the Proceedings of the Schools' Committee referred to above, dated the 21st November 1912 -- and that of the Resolution of the Board of Trustees thereon in their meeting dated the 23rd ultimo, are enclosed

I have the honour to be,

Sir,

Your most obedient servant,

For Chairman.

10

Proceedings of the Schools' Committee of the Mysore City Municipal Council, held in the Ranga Charlu Memorial Hall at 8 A.M. on Thursday the 21st November 1912.

Present.

1. M.G Krishnasami Rao, Esq.
2. M.Venkatakrishnaiyya, Esq
3. Mahomed Jaffer Sahib, Esq.
4 M.Sitaramiah, Esq.
5. M.Narasimhaswami, Esq

Absent

1. M C.Rangaiengar, Esq.
2. M.Madappa, Esq
3. Rev.M.Gulliford.

VIII Memo No.539 dated the 5th November 1912 from the Chairman, City Improvement Trust Board, Mysore, forwarding for opinion -- copy of docket No.3074/M1 211-11-5 dated the 15th October 1912 from the Secretary to Government, Genl. & Rev. Departments, re the construction of a sanitary school building in the City.

In the opinion of the Schools' Committee, the school to be accommodated is the Sri Krishnaraja Balika Patasala by the side of the Viceroy's Road opposite to the Lakshmipuram Extension

(Sd) M G Krishnasami Rao,
Vice-President.

" C O P Y "

M G Krishnasami Rao

For Chairman.

ಕಾ. ಕಾರ್ಯ ಪತ್ರ-11/1912 11

MYSORE CITY IMPROVEMENT TRUST BOARD.

Proceedings of an ordinary meeting of the Board of Trustees for the improvement of the City of Mysore, held at the Chairman's Office on Monday the 23rd December 1912.

Present.

K.Chandy, Esq., B.A., Chairman.

Trustees

1. Mr.M G.Krishnasami Rao, B.A., Vice-President.
2. " V L.Manker, D P.H., etc., Health Officer.
3. " M C.Rangaiengar, F.A.
4 " Mahomed Jaffer Sahib
5 " M.Venkatakrishnaiyya.
6. " M.Anantharajaiyya.

Absent.

1. Mr R.H.Campbell, I.C S , C.I.E
2 Dr M.Srinivasa Rao, M A , M.D , F.Sc., Deputy Sanitary Commissioner

X X X

XII Docket No 3074/M1 211-11-5 dated the 15th October 1912 from the General and Revenue Secretary calling for further information re the construction of a sanitary school building in the City.

The School Committee's recommendation be approved and submitted to Government.

X X X

(Sd) K.Chandy,
Chairman.

" C O P Y "

For Chairman.

G R S 26]

File No 211-11

Serial No, 4

Diary No of letter replied to 3832

No 5665
mls 211-11-
5-2-13

General and Revenue Secretariat
(Mb.)
Q, the 29. 1- 1913

5-2-13

Signed by Mr JGR

To

The President, Mysore
City Municipal Council

Sir,

In forwarding herewith a Copy of letter no 367 dated the 7th January 1913 from the Chairman of the Board of Trustees for the Instt. of the City of Mysore about the Construction of a Sanitary School building in the City, I am directed to request that you will be

over

SUBJECT

to good as to Consult the City
Municipal Council whether they would be
agreeable to bear as
Moiety of the Cost of the
proposed building in case
the Board of Trustees should
Contribute the other Moiety,
and to Enclose a Copy of the
Resolution in the matter

I have &c

Enquire whether the Mysore Municipality will bear half the cost in view of the whole of the purposes which the Inhabitants of Mysore

I have &c

8/1/13

Draft

by for Secy

List of enclosures,

Copied by 8/1/13

Examined by

GPE—10 000—23-2-11

1951

W.P. for M.C. 3rd April 1913.

From

The President, City Muni
Council, Mysore

To

The Secy. to Govt of Mysore,
Gen and Rev Depts

Dated 13th
Despatched 18th } March 1913
Received
General No 1355
No
Enclosure No one

Reporting that the Municipal Council will agree to bear half the Cost of the Construction of a sanitary School building in the City.

DIARY No. 5683

10/3/1913

SEC-II

No 135 211-11

14

The City Municipal Office, Mysore,
Dated the 13th March 1913.

From

K.Chandy, Esq., B.A.,

President, City Municipal Council, Mysore.

To

K.R.Srinivasa Iyengar, Esq., M.A.,

Secretary to the Govt of Mysore, General & Revenue Depts

Sir,

P In reply to your No.5865/Ml.211-11-7 dated 5th February 1913 enquiring whether the Municipality will bear half the cost of the construction of a sanitary school building in the Mysore City, I have the honour to state that the Municipal Council in its meeting held on the 28th February last has agreed to bear half the cost of the building I herewith submit a copy of the resolution on the subject for your kind perusal

I have the honour to be,

Sir,

Your most obedient servant,

K.Chandy

President.

15 Encl 211-11/8

Proceedings of an ordinary meeting of the Municipal Council-lors for the City of Mysore held in the Kanya Charlu Memorial Hall at 5 A.M. on Friday the 28th February 1913.

PRESENT.

1. K.Chandy, Esq., B.A., (President).
2. M.G.Krishnamurti Rao, Esq., B.A., (Vice President).
3. Doctor V.L.Menker, L.R.C.P. & S., & D.P.H., (Health Officer).
4. Muhamed Jaffer Saheb, Esq.,
5. V.Tiruvengada Mudaliar, Esq.
6. Madappa, Esq.,
7. M.S.Rangiengar, Esq.,
8. Narasimhaswami, Esq.,
9. Jahangirdar Mudappa, Esq.,
10. A.Subbarao, Esq.,
11. Bommiah, Esq.,
12. K.Seetharamiah, Esq.,
13. Amble Ammiah Pandit, Esq.,
14. M.Venkatakrishnayya, Esq.,
15. H.Seethayamiah, Esq.,
16. Rev. H.Gulliford.

ABSENT.

1. R.V.Sundaram Iyer, Esq., B.A.,B.C.E., (Executive Engineer, Mysore Division
2. Mahomed Peer, Esq., B.A., (Amildar, Mysore Taluk).
3. H.Amanthanajiah, Esq.,
4. N.Setwaji Rao, Esq.,

XVII Letter No.5865/Ml.211-11-7 dated 5th February 1913 from the Secretary to Government, requesting to be informed whether the Municipality will bear half the cost of the construction of a sanitary school building in the City

Resolved that the Municipality are prepared to bear half the cost of the building

(Sd) K.Chandy,
President.

"C O P Y"

K.Chandy

President

14.4.13

5603

[GRS 29a]

1912-1913

From

Secy to the Govt of His Highness
the Maharaja of Mysore,
Genl and Rev Dept

To The Chairman, Mysore
City Improvement Board

Dated

Despatched 17.4.13

Received

General No 8279

No ml 211-11-9

Enclosure No 1/file

His letter no 367 Dt
the 7th January 1913 re the
Construction of a Sanctary
school buildings in the
City

Has the honour to
observe that in the estimate
for the proposed building
no provision is made either
for a Compound wall or
for latrines for the use
of the school girls though
to the

B—10 000—[illegible]

copied 18.4.13
[illegible]
14.4.13

these are necessary
and indispensable, and
to request that the
estimate which is herewith
returned may be revised
with necessary provision
for the said works mentioned
therein. ~~together with a~~
~~the~~ plan indicating the
exact location of the
school buildings may also be
submitted to ~~me~~ By order

14/4/13
for Secty

1913

From

The CHAIRMAN of the Board of
Trustees for the Improvement
of the City of Mysore

To

The SECRETARY to the Govt of
His Highness the Maharaja of
Mysore, Gen and Rev Depts

Dated 23-6-1913
Despatched
Received
General No 7
Enclosures 9

SUBJECT

Submitting a revised estimate for Rs:9,600/- for constructing a Sanitary School building in Mysore.

GIPM—133—11.6.1912.

both these are necessary
and indispensable, and
to request that the
estimate which is herewith
returned may be resubmitted
with necessary provisions
for the said works inserted
therein. together with a
site plan indicating the
exact location of the
school building may also be
submitted to us.

By order"

14/4/13
for Secty

1913.

From

The CHAIRMAN of the Board of
Trustees for the Improvement
of the City of Mysore

To

The SECRETARY to the Govt of
His Highness the Maharaja of
Mysore, Gen and Rev Depts

Dated
Despatched
Received
General No
Enclosures 9

SUBJECT

Submitting a revised estimate for Rs:9,600/- for constructing a Sanitary School building in Mysore.

GBPM—200—11-6-1913.

MYSORE CITY IMPROVEMENT TRUST BOARD
CHAIRMAN'S OFFICE,

Dated, Mysore, 23rd July 1913

FROM

T.G.Lakshmana Rao, Esqr., L.C.E.,
Chairman of the Board of Trustees,
Mysore City Improvements

To

K.R.Srinivasaiengar, Esqr., M.A.,
Secretary to the Govt of H H the Maharaja
of Mysore, Gen and Rev Departments

SIR

In reply to your docket No.6279/M1.211-11-9 dated the 17th April last regarding the estimate for Rs 6649/- submitted for the construction of a sanitary school building in the Mysore City, I have the honour to state that the above estimate returned with the docket, under reply, is resubmitted herewith in duplicate, making necessary --- provisions therein, for a compound wall of a length of 1085 running feet and a latrine with 6 seats in connection with the proposed school building. These new insertions enhance the amount of the estimate to Rs 9800/- against which a provision of Rs 7847/- is made in the Budget estimate for the current year.

A site plan indicating the location of the school building is also submitted as desired.

I request that you may be so good as to obtain the sanction of Government to the estimate now submitted, and communicate the same to me, at your earliest convenience, so that the work may be taken up for execution, and complete

19

completed during this year only.

I have the honour to be,

Sir,

your most obedient servant,

Lakshmanarao

C H A I R M A N.

Report to accompany plans and estimates for constructing Model Sanitary Schools in Mysore

----o@o-----

1. The estimates are prepared in conformity with the instructions contained in the Chairman's (Trust Board) No.3 dated 3rd July 11, and in No.5 dated 14th July 11, of the President, School Committee, Mysore.

2. Two designs are submitted to accommadate the same number of students Viz 250 The design No.I is one storied and the design No.II is a two storied one. The former to be adopted when the plot of ground is sufficiently large, and the latter when the plot is smaller Each design has six class rooms (15' x 15') and one hall and admits of extension whenever required.

3. As regards light and ventilation both the designs are in conformity with the regulations laid down by the Government in " Mysore Educational Rules Part I " Viz.,

1. 10 Sq.Ft of floor space per student.
2. 80 C.Ft. of space per student.
3. The area of doors and windows to be not less than 1/5 the area of floor

4. Two abstract estimates for each design are prepared The estimate No.I is for ordinary materials and estimate No 2 is for a better class

2/1

of materials usually used for building work in Mysore

Foundation.

Burnt brick in clay for the first and burnt brick in mortar for the second.

Basement

Burnt brick in mortar for both the estimates

Walls.

Burnt brick in clay for both the estimates.

Flooring.

2" Cuddapah slab flooring on 3" lime concrete with cement pointing for both.

Outside plastering.

Lime mortar plaster for both

Inside plastering.

Mud plastering for the whole wall, with the exception of 2' at the top for the 1st. Estimate and lime mortar plastering for the 2nd. estimate

Wood work.

Honne wood for the first estima and teak wood with wood oiling for the 2nd. Wood oiling to doors and windows in both the cases

Roofing.

Mangalore Tile Roofing terrace with pukka materials in both the ---- estimates

For Executive Engineer,
Mysore City Improvements
Division.

16	Cornice	Each	6	.		16	96
17	Lime mortar Plastering	Rft	-	6	.	72	27
18	White washing	Sqrs	2	8	.	110 48	276
19	Parapet Wall ordinary	Sqrs	-	2	6	110 48	17
20	Teak finials	Rft	-	6	-	80	30
21	Teak wood Cane boards	Each	2	-	.	6	12
22	Chocolate Painting	Rft	-	8	.	376	188
23	Lime raw water pipes	Sqrs	2	8	.	5 39	13
24	Wood ouring	Lumpsum				Rupees	30
25	Lime Kallays	Sqrs	1	8	.	4957	74
26	Cleaning site	Rft	-	4	.	47	12
27	Compound wall	Lumpsum				Rupees	18
28	Gate	Rft	2	.		1088	2176
29	Latrine	Lumpsum				Rupees	75
		—		Do	—	—	750
	Total Rupees						9333
	Contingencies at 5 percent						467
	Grand Total Rupees						9800

Compared

Payyanur.
17.7.78

Edukkanamkandi
Chairman.

— Kilkenny City Improvement Trust Board —

Abstract Estimate for constructing a model sanitary School

No	Items of works	Per	Rate			Quantity	Cost
1	Earth work excavation	Cyd	.	2	.	139	17
2	Earth filling between basement	do	.	1	.	121	8
3	Lime mortar Concrete for foundation	Cft	.	2	6	972	152
4	Burnt Brick in mortar for foundation and Basement	Cft	.	2	9	3648	627
5	—— do —— for Arch work	Cft	.	4	.	84	21
6	Burnt Brick in clay for superstructure.	Cft	.	1	9	5287	578
7	Burnt stone slabs set in mortar	Sft		4		602	151
8	Teak wood doors battened including frames etc fitted	Each	30	.	.	14	420
9	—— do —— Windows battened and glazed shutters with iron bars including frames etc fitted	Each	25	.	.	28	700
10	Teak wood circular Ventilators glazed including frames etc fitted	do.	6	.	.	8	48
11	Teak wood wrought and put up	Cft	3			364	1092
12	Roofing with 1st class mangalore flat and ridge tiles set in mortar including teak rafters etc complete	Sqr.	21	.	.	41 69	875
13	Roofing with Pucka Terrace	Sqr.	24	.	.	5 81	139
14	Flooring with 2" thick cuddapah slabs laid on 3 thick 1" mean. Concrete & cement Pointing	Sqr.	26			27 35	711

No. Total Do.

Enclosed 211-11

Mysore City Improvement Trust Board

Duplicate

Estimate of the probable cost of constructing a Model Sanitary School in Mysore

Mysore City Improvement Trust Board 23

Estimate of the probable cost of constructing a [illegible] Sanitary school in Mysore

Details of work	No.	Dimensions			Contents		
For the work excavation							
Central Hall wall around	1	94½	2/4	3½	744		
Side room wall around	2	108¾	2/4	3½	1713		
Cross walls	2	13 7/8	2/4	3½	219		
—— do ——	2×2	16 7/8	2/4	3½	532		
Pillars in Verandah	2×8	1 7/8	1 7/8	3	169		
Retaining wall in Verandah around	2×1	52½	1½	2	315		
Steps	2×1	13	2	½	26		
—— do ——	2×2	11¼	2	½	45		
Total	Cft				3763	Cyds	139
Earth filling between Basement							
Central Hall	1	29 5/8	14 5/8	1¼	542		
Side rooms	2×1	17 5/8	14 5/8	1¼	644		
End rooms	2×2	17 5/8	14 5/8	1¼	1289		
Verandah	2×1	67 7/8	4 11/16	1¼	795		
Total	Cft				3270	Cyds	121
Lime Mortar Concrete							
Central hall wall around	1	94½	2/4	1	213		
Side rooms wall around	2	108¾	2/4	1	489		
Cross walls	2	13 7/8	2/4	1	62		
—— do ——	2×2	16 7/8	2/4	1	152		
Pillars in Verandah	2×8	1 7/8	1 7/8	1	56		
Total	Cft				972	Cfts	972
Lime Mortar in Masonry							
Central hall wall around (Basement)	1	94½	1½	1½	213		
Side rooms — do —	2	108¾	1½	1½	489		
Carried over					702		

Burnt Brick in Lime Cement						
(Brought forward					702	
Cross walls (Basement)	2	14 5/8	1½	1½	66	
— Do —	2×2	17 5/8	1½	1½	159	
Retaining Wall in Verandah	2	67 7/8	1⅛	1⅛	229	
Steps	2	13	2	1+1½	65	
— Do —	2×2	11 13/16	2	1+1½	118	
Centre Hall Wall abroad (Inside)	1	94½	2½	2½	1463	
Side room wall abroad	2	108¾	1⅞	2½	1020	
Cross wall — Do —	2	14¼	1⅞	2½	134	
— Do — — Do —	2×2	17¼	1⅞	2½	323	
Pillars in Verandah — Do —	2×8	1½	1½	2	72	
Retaining Wall in Verandah — Do —	2	52 7/8	1½	2	317	
Total Cft					3648	Cft 364
Burnt Brick in clay (Superstructure)						
Central hall Wall abroad (Inside)	1	94½	1⅛	14+13¾/2	1468	
Side room — Do —	2	108¾	1⅛	14+13¾/2	3334	
Cross walls — Do —	2	15	1⅛	14	473	
Gables	2×3	15	1⅛	7½	253	
Wall	4	17¼	1⅛	3¼/2	29	
Cross walls (Terraced bottom)	2×2	18	1⅛	12	972	
Total					6509	
Deductions						
Doors	14	4	1⅛	7½	473	
Lintel slabs (1)	14	6	1⅛	3⅛	35	
Windows	28	3	1⅛	4½	125	
Lintels (2)	28	5	1⅛	3⅛	57	
Circular Ventilators	8	3 11/14	22/7	1⅛	16	
Arch work over the above (3)	8	2 5/8	22/7	1⅛×1⅛	84	
Slab on retaining wall (3)	2	69	1⅛	3⅛	58	
Slab over steps (4)	2	13	2½	3⅛	24	
Carried over					1174	

Excavation Continued									
Brought forward						1174			
Slab over steps	(6)	2×2	12	2½	⅜	45			
Retaining platform	(6)	2×2	2	1⅝	⅜	3			
Total						1222			
Balance Burnt Brick in clay						5287	cft		5287
Burnt Brick in mortar for arching									
— do — as per (13)						84			
Total						84	cft		84
Burnt stone slab set in mortar									
as per deductions (166)						602			
Total sft						602	sft		602
Teak wood doors battened including frames etc fitted									
— do —		14	(4' × 7½')			14			
Total						14	No		14
Teak wood windows battened and glazed shutters with iron bars including frames etc fitted									
— do —		28	(3' × 4½')			28			
Total						28	no		28
Teak wood circular ventilating glazed									
sleeping frames etc fitted									
— do —		8	(1½' diameter)			8			
Total						8	no		8
Teak wood work wrought and fixed in									
Centre hall complete rafters									
2½' apart		15×2	12¼	1/4	½	4594			
Couples		15	8½	⅜	57/24	996			
Wall Plate		2	35¼	⅓	¼	588			
End room rafters		2×18	12¼	1/4	½	5513			
Couples		2×18	8½	⅜	57/24	2391			
Wall Plates		2×2	112⅜	⅓	¼	1413			
Carried over						15495			

Ink Roof	Brought forward					136.45	
Side rooms	Beams	2	17	2/3	1	22 11	
Joists		2×3	19'6	1/4	1/2	62 16	
Wall Plates		2×2	16'8	1/3	1/4	5 38	
Verandah rafters 2/2 apart		2×4	9	5/24	5/12	26 56	
Jack rafters		2×4	3 3/4	5/24	5/12	2.60	
—— do ——		2×4	7 1/2	5/24	5/12	5 21	
—— do ——		2×4	4 1/2	5/24	5/12	3 13	
—— do ——		2×4	8 5/8	5/24	5/12	6 00	
Hip and Valley rafters		2×4	11 3/4	3/8	1/2	17 63	
Breastsummers		2×1	69	2/3	1/2	46 00	
Wall plates		2×1	20	1/3	1/4	11.66	
Total Cor						363 94	cft 363.
Roofing with 1st class Bungalow flat tiles and ridge tiles set in mortar including Lath nailers etc complete							
Verandahs Front rear	2	17 1/2 + 32/4 / 2		9	4.46		
Ends	2×2	7 1/2	"	9	2 20		
—do—	2×2	18 + 10 1/2 / 2		9	5 13		
Centre Hall	2	35 3/4	12/4	12/4	8 64		
End rooms	2×2	43 3/8		12/4	20 76		
Total Sqs					4169	Sqs	41 6
Iron ing With Rucka Terrace							
—do— rooms	2	18		16/8	581		
Total Sqs					581	Sqs	5 8
Flooring with 2 thick cudappah slabs laid on 3 thumman concrete, and cement pointing							
Verandah front & rear	2	66/4	4 7/8	"	665		
Centre Hall	1	30	15	"	450		
Side rooms	2	18	15	"	540		
End rooms	2×2	18	15	"	1080		
Total Sqs					2935	Sqs	27 3
Teak wood Pillars as per plan							
—do—	2×8				16	Nos	16

For Terraced portion	4	18	.	7	72	
Total					72	Sq. 72
" " Interior Plastering						
Exterior - Centre hall	1	64½	"	13¼	855	
" Front Walls	2×2	18	"	12	864	
" End rooms	2	96	"	13¼	2544	
" Part of end rooms	2	17¼	"	½	17	
" Basement all round	1	207	"	13¼	537	
" Ends of steps	2×2	1½	"	1½/2	5	
" Gables	2×2	17¼	"	5¾/2	198	
Interior top of wall Centre Hall	1	90	"	2	180	
" top of walls of rooms	2	66	"	2	264	
—do— End rooms	2×2	66	"	2	528	
—do— Gables	2×4	14	"	2	224	
Interior Wall around Centre Hall	1	90	"	12	1080	
—do— rooms	4	66	"	10	1320	
—do— end rooms	2×2	66	"	12	3168	
Interior Gables	2×4	7½	"	2½/2	75	
Total	Sq.				11859	
Deduct						
Doors one side	16	4	"	7½	420	
Windows —do—	28	3	"	4½	378	
Ventilators —do—	8	22/7 × 3/4		—	13	
Total deductions					811	
Balance Plastering					11048	Sq. 110.48
Extra for Pargetting 2½ per Plastering						
—do—					11048	Sq. 110.48
Extra work on Cornice						
—do— on front & rear	2×2	20	—	(2)	80	Sq. 80

C O

Frame Up							
do. in Kitchen and Around	2×8				6	no	6
Late Carried forward							
— do — Around	1	3/16	..		376		
Total					376	1/16	3
Shingle Painting							
Eave Boards	1	3/16		2/3	251		
Pediment	2×8	2/4		8	288		
Total					539	5/16	5
Line Room Water Pipe							
— do —			Lump		Lump Rupees		20
Wood ceiling							
— do — Doors	2 1/16×4		4	.	7 1/2	945	
— do — Windows	2 1/2×28		3	.	4 1/2	945	
— do — Ventilators	2/4×6		3/4	.	22/7	24	
Centre-hall couple rafters	15×2		13/4	1/4		159	
Couples	15		8/2	23/24	"	122	
End room rafters	2×8		12/4	1/4	"	551	
Couples	2×8		8/2	23/24	"	293	
Side room Beams	2		17	2 2/3	"	91	
Joists	2×13		19 1/8	1/4	"	632	
Verandah rafters	2×17		9	1 1/24	"	319	
Jack rafters	2×4		3 3/4	1 1/24	"	31	
— do —	2×4		7 1/2	1 1/24	"	63	
— do —	2×4		4 1/2	1 1/24	"	38	
— do —	2×4		8 3/8	1/24	"	72	
Hip and Valley rafters	2×4		11 3/4	1 3/8	"	139	
Braces	2×4		69	1 5/16	"	253	
Total					4957	5/16	49.5

o e Valley						
As per Rafters	4	11½	1	47	Rft	47
Clearing rubble						
Do			Lump sum		Rupees	18
Impound Wall with Brick masonry						
Do				1088	Rft	1088
Gable						
Do			Lump sum		Rupees	75
Latrine						
Do			Lump Sum		Rupees	750

Compared

Chairman

re a model van
School building at Mysore

GRS 28]

B 11 32

2570

File No 211-1
Serial No 11

Diary No of letter replied to 712 A

Proceedings of the Government of His Highness the Maharaja of Mysore

Enc 1 to consult
Enc 3 to Lib trustee

GENERAL AND REVENUE SECRETARIAT
(Mb,)

Read, the 1.8.9 1913

Subject No 275 about the Construction of Sanitary School houses, brought forward at the R Assembly of 1910 and

Date of issue 31/10/13

Signed by Govt of Ramanathan

ORDER THEREON—No

the reply of Govt thereto
2) Letter No 183 dated the 19th December 1911 from the Chairman, Mysore City Impt Trust Board, submitting for

over

SUBJECT

orders plans and estimates
amounting to Rs 66249/- (Approved
by the Board of Trustees) for
the construction of a sanitary
school building in the City.
3) Correspondence ending with
letter No. 135 dated the 10th March
1913 from the President, Mysore
City Municipal Council, submitting
a copy of the Municipal Council's
Resolution agreeing to bear
half the Cost of the proposed
school building.
4) Also, letter No. 7 dated
the 23rd July 1913 from the
Chairman, Mysore City Improvement
Trust Bd. submitting a
revised estimate for Rs 9807/-
pertaining thereon for a
Compound wall and a Godown,
the two items of work not pro-
vided for in the original estimate

O.D.No. 2000—2-10-11

34

Order thereon 5011-5 mnl 21-11-13 5/31/10/13

GRS 27]

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form)

The revised estimate amounting to Rs 98007-08 sanctioned, one-half of the cost being met from the funds of the Mysore City Municipality and the other half given as a buildings grant from out of the sanctioned grants under "Education".

2) The site selected for the school buildings is by the side of the Viceroy Road opposite to the Lakshmipuram Extension and is marked A on the plan submitted by the Chairman. This is also approved

3) It is noted that the school to be accommodated in the buildings when complete is the Sri Krishnaraja Balika Pathasala

11/10
23/10/13

[P.T.O.

The Chairman, Anantapur City
Sanitary Board, returning
the remetriced estimate with-
one set of plans

" President, Anantapur City Sanitary
Council, through the Secy to the 2
Anantapur RDO

" Vice-Chairman

" I & L of Executive

" Comptroller with a Copy
of the abstract estimate

Memo No 50168 31/10/13.

Copy forwarded to Dr.
M. Venkata Krishnaya, P.H.
Member, who brought the
subject forward at the Assembly
of 4/10

By order

Asst
6/11

for Secy

Copies Datavilled to Chairman, Vice-Chairman

estimate may be drawn in with necessary provisions for the said works incorporated therein, together with a site plan indicating the exact location of the school building

10 From the Chairman, Mysore Dist. no 7 dt 23.7.13
submit a revised estimate amounting to Rs
9 lacs together with a site plan vide

11 ref 5011-58 31.8.13 to the Chairman etc.
Sanctions the revised estimate dated
and plan and approves of the site selected and
observes that the school to be accommodated in
the building when complete, is the Sri Krishna-
raja Balika Pathasala.

Memo no 5016 dt 31.8.13 to the P.A. Secretary
R.A. Mysore
Returned copy of ref 11

Thimmaiah Gowda
6/9/14